



# Custom Made Veri Shades<sup>®</sup> Manual

August 2025

Version 2025.3

# **Contents**

1.	Custom Made Veri Shades	3
2.	Measuring	. 13
3.	Ordering Process	. 16
4.	Sales Aids	. 18
5.	Installation Guide	. 20
6.	Bay & Corner Windows	. 20
7.	Remake Process	. 26
8.	Care and Maintenance	. 27
9.	Custom Made Veri Shades Reference Chart	. 28

## 1. Custom Made Veri Shades

## 1.1 Overview

- Veri Shades are available in a range of different track options.
- Veri Shades are available with Mist, Autumn, Alpine, Classic, Classic S, Luxury, Luxury S, Privacy or Eclipse fabrics in a choice of current trending colours.
- Pattern Matching in the Autumn fabric is not available
- The tracking is universal and can be used as either a left or right draw or one-way stacks.
- Motionblinds available as Motorised operation (motorised track only available in white).
- Veri Shades have the unique ability to walk straight through the curtain anywhere as there are no bottom weights or chains.
- Veri Shades have a room darkening design.
- Veri Shades are child and pet safe.
- Veri Shades are available with the following blade stacking options:
  - Centre Bunch
  - o Centre Open
  - o One Way Left
  - o One Way Right

## **Specifications**

Composition 100% Polyester Woven Fabric Weight per g/m² (Bonded & Mesh) 300 +/- 1%

Maximum Blind Width 5,800mm (6,000mm Motionblinds Motorised)

Colour Fastness 4-4.5 UPF 50+

For more details on our Veri Shades Range, please refer to the <u>Custom Made Veri Shades</u> <u>Reference Chart</u>

# **1.2 Fabric Options**

Veri Shades are available in the below ranges:

- Mist
- Autumn (pattern matching is not available)
- Alpine
- Classic
- Classic S
- Luxury
- Luxury S
- Privacy
- Eclipse







LUXURY/LUXURY S

PRIVACY



5


## Veri Shades are available in the following colours:





# 1.3 Track Options

Veri Shades are available with the following track options:



# **1.4 Track Colours**

Veri Shades tracks are available in following colours, Motionblinds Motorised is only available in White.

Decorative	e Track	Standard 1	Frack	Cube Track	(
	White		White		White
	White Birch		White Birch		White Birch
	Black		Black		Black
	Satin		Grey		Grey
			Clear Anodised		Clear Anodised

# 1.5 Track Bracket Options


## **Decorative Track Ceiling Mount Bracket**

Size: 95mm (L) x 25mm (H)



## **Decorative Track Wall Mount Bracket**

Size: 78mm (L) x 43mm (H)



**Extension Plate Bracket, 100mm** 

Size: 100mm (L) x 20mm (H)




L Bracket with Clip, 95mm Face Fit

Size: 110mm (L) x 45mm (H)



L Bracket without Clip, Face Fit

Size: 95mm (L) x 45mm (H)




L Bracket with Clip, 75mm Face Fit

Size: 90mm (L) x 45mm (H)




L Bracket with Clip, 115mm Face Fit

Size: 130mm (L) x 45mm (H)



L Bracket without Clip, Face Fit

Size: 115mm (L) x 45mm (H)



# 1.6 Fold Stacking Options


## **Single Open**

(Left or Right Stack) has one wand.


Single: draw and stack folds by moving left or right from the wand side to the opposing side.

- The factory will generally supply 2 x additional fabric folds per opening to be available as spares. This changes to a total of 3 if there are multiple windows of the same height.

Left Hand Side Stack (LS)



Right Hand Side Stack (RS)




## Centre Open (CO)

(Split Stack) has two wands with each stack operating independently.

Double: draw and stack the folds using the wands from the centre to the outside points.

- The factory will generally supply 2 x additional fabric folds per opening to be available as spares. This changes to a total of 3 if there are multiple windows of the same height. For Centre Open, an even number of extra folds will be included.




<sup>\*</sup>Please note: with CO the wand control will sit behind the inner folds, minimising the gap.

#### Centre Stack (CS)

(Split Stack) has two wands with each stack operating independently.

Double: draw and stack the folds by using the wands from the outside to the centre point.

- The factory will generally supply 2 x additional fabric folds per opening to be available as spares. This changes to a total of 3 if there are multiple windows of the same height. For Centre Stack, an even number of extra folds will be included.



# 1.7 Wand Length & Colour

Below is the standard wand length for Veri Shades.

Blind Drop	Wand Length
Up to 999mm	500mm
1000mm – 1799mm	750mm
1800mm – 2499mm	1100mm
2500mm – 3499mm	1500mm
3500+mm	2000mm

Wand Colours Available
White
lvory
Light Grey
Grey
Black
Metal Navy

Note: Wand Colours will be matched as close as possible to the Fabric Colour. Please see reference chart for more details.

## 1.8 Motorisation

Veri Shades are available with the option for motorised tracks which are called Motionblinds. Motionblinds is only available in white and in widths of up to 6,000mm. We offer a battery-operated track or a hardwired track.

## **Battery-operated**

**Stacking Options:** 

- Right
- Left
- Centre Opening
- Rechargeable battery
- > Up to 6,000mm long
- Phone App or Remote control operated (5 channel remotes available on request and incur a surcharge)

Note: The Veri Shades Motionblinds Motor will always be installed on the left side of the Track at the back.

Note: Battery Operated Motorisation is not recommended for Widths over 4,000mm and Heights over 3,600mm.

Note: Rechargeable Battery Operated still needs an accessible powerpoint to charge the battery.

Note: Battery Operated Motorisation is not recommended for larger Widths & Heights.

Note: The Maximum size for Motionblinds is 18m2.

For example, with a Maximum Width of 6,000mm the Maximum Height would be 3,000mm.

#### Hardwired

**Stacking Options:** 

- Right
- Left
- Centre Opening
- > Up to 6,000mm long
- Phone App or Remote control operated (5 channel remotes available on request and incur a surcharge)

Note: The Veri Shades Motionblinds Motor will always be installed on the left side of the Track at the back.

Note: Hardwired will require an electrician.

Note: The Maximum size for Motionblinds is 18m2.


For example, with a Maximum Width of 6,000mm the Maximum Height would be 3,000mm.

# 2. Measuring

## 2.1 Recess Fit

#### **Recess Fit**

- ✓ The Veri Shades are to be installed in the recess or reveal of the opening.
- ✓ When measuring in a recess it is important to measure both the width and the drop at three points (please see below). The reason for taking three measurements in each direction is to allow for any problem that may occur if the window is out of square. The smallest measurement is the one that is required.



#### **Width Measurements**

Measurements taken at the top, centre and bottom of the opening and the **smallest of these** three measurements will be the width measurement.

## **Drop Measurements**


Measurements taken from the left, centre and right sides of the opening and the **smallest of these three measurements will be the drop measurement**.

You can also take your own measuring deductions if you wish. Ensure that you supply the finished **ACT** (Actual Size) on your order/worksheet. If you would like the factory to make the allowances mark your order **NAM** (**No Allowances Made**) and the factory will make standard industry deductions.

## 2.2 Face Fit

#### **Face Fit**

✓ The Veri Shades are to be installed on the face/outside surface or architrave surrounding the window.



#### Width Measurement

Measure from the outside edge to the outside edge of the architrave across the width of the window. On a window opening where there is no architrave or window surround, be sure that you measure your Veri Shades® 100mm above the window opening and that you extend 50mm either side to ensure that light gaps are minimised.

#### **Drop Measurement**

Measure vertically from the top of the architrave to the bottom of the architrave, or to the desired finished length. Where the window is not a full-length window, the width and drop measurements are taken as the finished or actual size of the Veri Shades<sup>®</sup>.

You can also take your own measuring deductions if you wish. Ensure that you supply the finished **ACT** (*Actual Size*) on your order/worksheet. If you would like the factory to make the allowances mark your order **NAM** (*No Allowances Made*) and the factory will make standard industry deductions.

# 2.3 Deductions

Reveal Fit								
Track Type	ACT Height Deduction	NAM Height Deduction						
Decorative	65	80						
Standard/Cube	50	65						
Motionblinds Motorised	50	65						
Fa	ace Fit							
Track Type	ACT Height Deduction	NAM Height Deduction						
Decorative	70	85						
Standard/Cube	55	70						
Motionblinds Motorised	55	70						

# 3. Ordering Process

All orders for Veri Shades **MUST** be submitted electronically using the latest version of the Custom Made Veri Shades Order Form.

References to the Veri Shades Order Forms will be made throughout this manual. If you do not have the latest version of the Custom Made Veri Shades Order Forms, please contact your Sales Coordinator or email <a href="mailto:info@pacificwholesale.com.au">info@pacificwholesale.com.au</a> to request a copy today.

Please see an example of the Custom Made Veri Shades Order Form on the following page:

	<u>A</u> P.	A C	IFIC	Veri	Motionblinds	١	/eri Shad	es*	ı	STORE HAME. CUSTOMER NA	Mi.						
	SALES ORD OR 1	W) .		SHADES		<u> </u>				WORKS HEETT	POT.						
Phone	6198239	244	designed to begin at the I	that the Airt ago at the left and work toward the right ac apt and with large base due orient and					Version 27	DATE	Chaire Broughte come to 11 at t						
ten f	Roam tocation	Quinky	Rodut Type	FabricType	Fabric Colour	Grax Open Width	Gios Open Height	Window Type	fiting	Allowance	ToskType	Track Colour	Track Resist	22 ck	Mounting Bracket	Special Consumers	
1		ļļ			ļ	ļ										<u> </u>	
2						ļ	ļ										
ž E		ļ															
						<u> </u>											
		······															
,,						ļ											
*		<b>!</b> †															
						<u> </u>										÷	
**		<b>†</b>															
n					•		•								•		
12																	
3ž																	
34																	
28																	
*																	
17						<u> </u>										<b>.</b>	
**		ļ															
39					<b></b>	Ļ										•	
20		ļ															
22						ļ											
		ļ															
22						<u> </u>											
		<b></b>															
25 26						<u> </u>											
#		······															
28						<u> </u>									<b></b>	÷	
20						<u> </u>										<u></u>	
*		<b>†</b>															
in.					•		•								•		
122																	
##																	
æ																	
86																	
*		<u></u>				ļ											
EP .		ļ															
*		ļļ				ļ											
		ļ															
<b>a</b>		ļļ				ļ											
a e		ļļ				<u> </u>	ļ										
et et		<b>}</b>															
GE GE						<u> </u>											
6		<b>!</b>															
		<u>i</u>			<u> </u>	<u> </u>	i								<u> </u>		

# 4. Sales Aids

We have introduced a range of swatches and sales aids that can be used by all sales people when promoting any Veri Shades Range.

# 4.1 Fabric Range Colour Swatch

The following swatches are available:

- Mist
- Autumn
- Alpine
- Luxury
- Luxury S
- Eclipse
- Classic
- Classic S
- Privacy

## \$POA each



To order your Veri Shades colour swatches, please email your order to <a href="mailto:info@pacificwholesale.com.au">info@pacificwholesale.com.au</a>

## 4.2 Veri Shades Brochure

An electronic version is available on request.



To receive our brochure or any other Veri Shades marketing material, please email <a href="mailto:info@pacificwholesale.com.au">info@pacificwholesale.com.au</a>

## 4.3 Veri Shades Online Resources

Website:

http://www.verishades.com/

Find us on:





https://www.facebook.com/verishades



https://www.instagram.com/verishades/



https://www.youtube.com/@verishades2356

## 5. Installation Guide

Please refer to link below to access our Veri Shades Installation Guide & Programming Instructions:

https://verishades.com/portal

Alternatively, you can scan below QR code to access this on your phone;



# 6. Bay & Corner Windows

There is a large variety of options that can be supplied for windows with special requirements. Some of these include: Bay Windows and Corner Windows.

Every requirement is different due to the product type and the application. This section will help to outline the details and special requirements needed to manufacture these types of blinds.

# **6.1 Bay Window Allowances**


#### **Face Fit**

When measuring a bay window, it is important to measure the width hard into the corner for all three blinds. You will also need to take the angle measurement. When ordering, be sure to indicate each blind clearly on the worksheet and order them as NAM, so the necessary deductions will be made by the factory. To avoid chain control tangling, it is suggested that the controls for Blind A and C are placed on the outside of the window, and for Blind B ensure that there is a suitable fixing point for the safety cleat on a mullion/skirting board.

## **Recess Fit**


There are two options when measuring in a window recess.

## **Front of Recess**



Note: Bay windows can also be measured with the blinds placed at the front or back of the recess.


## **Back of Recess**



Note: If the blinds are not clearly marked NAM (No Allowances Made) it will be assumed that the sizes given are finished sizes.

# **6.2 Bay Window Order Form**

The below Bay Window worksheet can be found on our order form. Please make sure this form is completed when ordering this window type.



## **6.3 Corner Window**


When measuring into a corner it is important to measure the width hard into the corner for both blinds. One blind will then become the "Thru" and the other the "Butt" blind. When ordering please indicate which blind is the "Thru" blind NAM and which blind is the "Butt" blind NAM, so the factory can make the necessary deductions. To avoid the controls tangling it is suggested that the controls are not placed in the corner of the window.

#### **Recess**

There are two options when measuring in a window recess.

#### **Front of Recess**


When measuring at the front of the recess, measure the width hard into the corner and the factory will take appropriate deductions required to allow for the 'Butt' blind. Be sure to clearly note on the corner diagram worksheet which is the "Thru" blind and which is the "Butt" blind.






## **Back of Recess**


Check for any obstructions to the blinds when placing them at the back of the recess. Also, please indicate which blinds are the "Thru" and "Butt" so the correct deductions can be taken by the factory.





## **6.4 Corner Window Order Form**

The "Thru" and "Butt" window worksheet can be found on our order form. Please make sure this form is completed when ordering this window type.



## 7. Remake Process

In the event of a Custom Made Veri Shades being received with a defect, the following information must be emailed to your Sales Coordinator or email <a href="mailto:info@pacificwholesale.com.au">info@pacificwholesale.com.au</a>

- 1. A copy of the original order form.
- 2. A new order form, clearly showing the Veri Shades that need remaking. Please specify that the order is a **remake** failure to do so may result in the original order being placed as a new order at full charge.
- 3. A detailed description specifying exactly what the concern is and exactly what line item or component needs remaking. Failure to clearly specify this information may result in a longer lead time.
- 4. Supporting photographs illustrating any concerns.

## 8. Care and Maintenance

Proper care and maintenance will increase the life of your investment.

The surface of Veri Shades fabric and tracks will collect a layer of dust over time.

Veri Shades® fabric can be lightly hand washed and dried and can also be ironed with a cool iron or steamed to remove creases.

Veri Shades® tracks can be cleaned with a feather duster, or a slightly damp microfibre cloth to ensure the components are also dust free.

At least twice a year (or more in high-risk environments), silicone spray should be used to lubricate all the track gears. Before spraying the tracks, remember to slide your Veri Shades fabric over to one side or cover to avoid any overspray.

If spraying insecticides or any harmful chemicals the blinds must be placed in a raised position. These chemicals **must not** come in contact with the blinds.

#### **CAUTION:**

Never use harsh cloths, harsh abrasives, chlorine or ammonia-based chemicals or cleaners on any Veri Shades surface as they may affect the appearance, longevity and warranty of the product.

# 9. Custom Made Veri Shades Reference Chart

Please refer to the following page.



## **Custom Made Veri Shades Range Options Chart V18**

Mat	erial	Veri Shades					
		Window Types					
	ndard	<b>√</b>					
	By Side	·					
	r A Butt r A Thru	· · · · · · · · · · · · · · · · · · ·					
	r B Butt	•					
	r B Thru	· · · · · · · · · · · · · · · · · · ·					
	y A	· · · · · · · · · · · · · · · · · · ·					
	y B	,					
	y C	,					
		Blind Heights					
Minimu	m Height	300mm					
	m Height	** 6000mm					
	Track Type	Blinds Widths					
Minimum Width	All Tracks	300mm					
	Decorative Track	5800mm					
	Standard Track	5800mm					
Maximum Width	Cube Track	5800mm					
	Motionblinds Motorised ***	** 6000mm					
		Fitting Method					
Fac	e Fit	•					
Rece	ess Fit	1					
		Operation					
Man d On		·					
Wand Op	Defation :	All Track Types Except Motionblinds Motorised					
Moto	orised	Motionblinds Motorised					
		Track Mode Of Operation					
		One Way-Right					
_		One Way-Left					
Sta	ack	Centre Open					
		Centre Bunch Not Available With Motionblinds Motorised					
		Additional Options Available					
Other (	Options	Fire Retardant Option Available					
No	tes	* Wand Colours will be matched as close as possible to the Fabric Colour.  ** Battery Operated Motorisation is not recommended for Widths over 4,000mm and Heights over 3,600mm  *** Battery & Hardwired Motorisation with S Fold Fabric is not recommended for widths over 4,000mm					



## **Custom Made Veri Shades Range Options Chart V18**

	SHADES*													
Mat	erial	Veri Shades												
Selling Features		Unique Ability To Walk Through The Veri Shades Anywhere Along The Shades Popular Design Options Multiplie Trace Options, Available Michael Available A Michael Morte Options (April Available) Michael Available A Michael Options (April Available) Michael Available A Michael Options (Popular Choice Of Trending Colours Easy Maintenance, Can Be Removed, Wished & Replaced Ochiole, Weights Or Cords Child & Pet Sofe												
		Material												
Mat	terial	100% Poliyester Woven Fabric												
		Advantages												
UV Sta Child & Pet F	ballsed	•												
Easy Installati		*												
		Fabric Size Options												
Rai	nge	Mist	Eclipse	Autumn	Alpine	Classic	Classic S	Luxury	Luxury S	Privacy				
Fabri	ic Size	410mm	410mm	410mm	410mm	410mm	330mm	410mm	330mm	410mm				
						Fabric Colour Options								
	Colour	Mist Range	Eclipse Range	Autumn Range	Alpine Range	Classic Range	Classic S Range	Luxury Range	Luxury S Range	Privacy Range				
	Soft Grey	·	·					·	·					
	Dark Grey	✓	<b>*</b>											
	Antique White	✓												
	Black	<b>✓</b>												
	Fawn	<b>✓</b>												
	Pure White	· ·												
	Shell Beige	·		4	· ·									
	Charcoal			· ·	· ·									
	Slate			4	· ·									
	Soft White			·	<b>√</b>									
	White			·	✓									
	Light Grey			4	✓									
	Snow					·	✓							
	Pearl					*	✓							
	Dusk					· ·	<b>√</b>							
Fabric Colours	Thunder					· ·	4							
	Sand					· ·	· ·							
	Onyx					*	<b>√</b>							
	Cotton		*					·	~					
	Flax							4	4					
	Herringbone							~	<b>~</b>					
	Indigo							4	~					
	Lucent							<b>✓</b>	<b>√</b>					
	Sable Strike Grey							<b>✓</b>	<b>✓</b>					
	Frost							,		<b>✓</b>				
	Stone									·				
	Greige									<b>~</b>				
	Shadow									<b>*</b>				
	Midnight									✓				
	Hygge		4											
	Iron Night		<i>*</i>											
	ragin.					Track Options								
Track Options		Flat Fin. These Are A	Decorative Track Flat Final Option These Are Also Available in Matching Colours		Decorative Track Round Finial Option These Are Also Available in Matching Colours		Standard Track		Cube Track					
	White		<b>✓</b>		<i>'</i>	,			<b>✓</b>	✓				
	White Birch Black		<b>√</b>		/	,	,		<b>✓</b>					
Track Colours	Satin		<b>√</b>											
	Grey			,	/	,	,		<b>√</b>					
	Clear Anodised			,	/	,	,		<b>√</b>					



## **Wand Colour & Fabric Colour Reference Chart**

	JIIA	D L S					
	Colour	White	Ivory	Light Grey	Grey	Black	Metal Navy
	Soft Grey			✓			
	Dark Grey				✓		
	Antique White		✓				
	Black					✓	
	Fawn		✓				
	Pure White	✓					
	Shell			✓			
	Beige		✓				
	Charcoal					✓	
	Slate				✓		
	Soft White	✓					
	White	✓					
	Light Grey			✓			
	Snow	✓					
	Pearl	✓					
	Dusk			✓			
Fabric Colours	Thunder			✓			
	Ash				✓		
	Sand	✓					
	Onyx					✓	
	Cotton	✓					
	Flax	✓					
	Herringbone		✓				
	Indigo						✓
	Lucent	✓					
	Sable		✓				
	Strike Grey				✓		
	Frost	<b>✓</b>					
	Stone			✓			
	Greige		✓				
	Shadow				✓		
	Midnight					<b>✓</b>	
	Hygge			✓			
	Iron				✓		
	Night					✓	